

# Alignment Accessories



## The New Last Step in Alignment Service

CodeLink® directly “links” the vehicle OBD-II to the aligner to reset steering system sensors, as required by the manufacturer.



### 20-2150-1 CodeLink with XF2 Pod Kit\*

Data link from WinAlign to the vehicle OBD-II (J1962) connector. Order this kit if you want wireless capability and do not currently own an XF2 Pod Kit. Includes CodeLink device, XF2 Pod Kit, and J1962 cable. Also includes a burndy cable that may be used to connect the CodeLink device to the alignment console.



Steering system reset typically involves resetting the steering angle sensor, but on some vehicles, torque angle, yaw rate and other steering-related sensors are also reset.

CodeLink handles them all with a single, integrated procedure.

### Which OEMs require resets?

Audi • BMW • Chevy • Ford •  
Hyundai • Infiniti • Lexus •  
Mazda • Mercury • MINI •  
Nissan • Pontiac • Saturn • Scion •  
Toyota • Volkswagen

### 20-2151-1 CodeLink without XF2 Pod Kit\*

Data link from WinAlign to the vehicle OBD-II (J1962) connector. Order this kit if you currently own an XF2 Pod Kit or you do not want wireless capability. Includes CodeLink device and J1962 cable. Also includes a burndy cable that may be used to connect the CodeLink device to the alignment console.



### 20-2333-1 BMW 20-Pin Cable

CodeLink connection cable required for 2001 and older BMW models with Dynamic Stability Control (DSC).



## Hunter Remote Indicators Speed Alignment Service

Hunter Remote Indicators provide the operator complete control of the alignment system while making adjustments to the vehicle.

- ✓ Displays measurements
- ✓ Functions as a remote control
- ✓ Eliminates need for a separate remote control under the vehicle
- ✓ Allows the technician to perform rolling compensation when the console is out of view



### 30-418-1 Cordless\*\* Plus Remote Indicator Easily Records Tire and Suspension Measurements

Hunter's Plus Remote Indicator refines your alignment service by measuring tire temperature and frame angle and letting you enter in values for tire pressure, tread depth and ride height without repeated trips back to the console.

Includes: 20-2056-1 Hanger kit with remote hanger recharge  
 38-944-3 30-foot cable  
 27-13-2 Tire temperature probe

For use with WA Series and Series 811 aligners using WinAlign® alignment software version 9.0 and greater.



### 30-421-1 Cordless\*\* Icon Remote Indicator

Cordless Icon Remote Indicator is compatible with WA Series, Series 811, Series 611 with USB support and PA100 aligners.

Includes: 20-2056-1 Hanger kit with remote hanger recharge  
 38-944-3 30-foot cable

For use with WinAlign alignment software version 1.5.1 and greater.



### 30-419-1 Icon Remote Indicator

Icon Remote Indicator is compatible with WA Series, Series 111/211/311/411/511/611/811 and PA100 aligners.

Includes: 20-2055-1 Hanger kit  
 38-944-3 30-foot cable

For use with WinAlign alignment software version 1.5.1 and greater.



# QuickGrip™ Adaptor Accessories

## 20-2528-1 Storage Bracket Kit

Provides storage for adaptors on console, lift, HawkEye Elite™ sensor column, or Roll-Around Storage Cart Kit (11-1509-2). Standard with HawkEye Elite sensors.



**Kit 11-1509-2  
includes four  
brackets**

## 20-2563-1 Protective Ring Replacement Kit

Attaches to adaptor base to protect rims. Standard with HawkEye Elite sensors.



**Kit 20-2563-1  
includes four  
rings**



## 20-2521-1 Adjustable Tire Hook Kit

Covers clamping range of 20" to 36" tires (outside diameter).



**Kit 20-2521-1  
includes eight  
hooks**



## 20-2856-1 Roll-Around Storage Cart Kit

Provides convenient access to adaptors when you need them and convenient storage when you don't. (kit includes two carts)



**Requires two molded target hangers  
(11-1509-2) (sold separately)**

## 20-2819-1 Drivers-side Accessories Storage Upgrade for 20-2552-1 Cart

Provides additional storage for Quick Check accessory bundle.



**20-2792-1 Drivers-side  
Accessories Storage Upgrade  
for 20-2552-1 Cart**

## 20-2621-1 Medium-Duty Truck Spacer Kit

This kit contains 4 spacers for medium-duty trucks. These spacers may be used with kit 20-2640-1.



## 20-2638-1 Complete Medium-Duty Truck Kit

Contains 20-2621-1 and 20-2640-1.

## 20-2640-1 Medium-Duty Truck Tire Hook Kit

Set of 8 two-position adjustable black tire hooks.

## 20-2639-1 Adjustable Tire Hook Kit

This kit contains 2 pair of adjustable tire hooks to handle very limited clearance applications encountered on the front axles of modified and some European model vehicles.

# Wheel-Off Adjustment Kits

## Make fast, accurate alignment adjustments... with the wheel removed!

Wheel-Off Adjustment Kits allow the installation of alignment targets or sensors on hubs to ease adjustments with the wheel out of the way.

- ✓ Creates easy access to alignment points
- ✓ Applicable on more than 30% of vehicles in production
- ✓ Kits cover all Hunter target and sensor designs



**Kit 20-1978-1 includes two adaptors**

### 20-1978-1 Wheel-Off Adaptor Kit

Adaptors mount directly to the hub bolts once the wheel is removed. Requires WinAlign software version 9.0 or greater.



**Kit 20-1979-1 includes two adaptors**

### 20-1979-1 Wheel-Off Adjustment Kit

Magnetic adaptors attach to the rotor once the wheel is removed. Requires WinAlign software version 9.0 or greater and 20-1978-1 Wheel-Off Adjustment Kit.



**Kit 20-2513-1 includes two adaptors**

### 20-2513-1 Self-Centering Adaptors for TD Targets

Adaptors required to perform wheel-off adjustments using TD Targets. Also requires 20-1978-1 Wheel-Off Adjustment Kit.



**TD Target mounted on 20-2513-1**

### 20-2664-1 TD Target Wheel-Off Adjustment Kit

Kit includes 20-1978-1 and 20-2577-1.

# Ride Height Measurement

## Live Ride Height Measurement and Adjustment System for HE421, HS401 and DSP600 Sensors

Ride Height can change over time as a vehicle ages. These changes in ride height can prevent proper alignment.

- ✓ Hunter Live Ride Height Adjustment allows the technician to easily measure, adjust, jounce and confirm ride height.
- ✓ Accurately adjust ride height in just one trip around the car.
- ✓ Make ride height adjustments in half the time.
- ✓ Integrate with WinAlign Tuner™ software to better service modified vehicles.
- ✓ Use the Suspension Body Dimension Audit to determine alignability or need for collision repairs.

### Suspension Body Dimension Audit Option

The patented Suspension Body Dimension Audit (SBDA) option provides a quick audit to determine if the vehicle is alignable and identifies the potential need for body shop procedures by measuring ride height, body angle, body wheel offset, body wheel setback and body roll.

Requires 20-2050-1 Live Ride Height Measurement Kit and WinAlign® software version 9.0 or greater.



### 20-2112-1 Live Ride Height Adhesive Strips Kit

For use with HS401 and DSP600 Live Ride Height Targets (100 Adhesive Strips).



### 20-2050-1 Live Ride Height Measurement Kit

Includes four targets used for measuring ride height. Requires a WA Series or Series 811 console with WinAlign software version 9.0 or greater and HE421, HS401 or DSP600 sensors.

## Self-Centering Wheel Adaptors

For Hunter HS401, DSP700, DSP600 and DSP500 Wheel Alignment Sensors

Extended range fits 10" to 24.5" (254 mm to 622 mm) rims

### 20-2375-1 Dual-Purpose Sensor and Adaptor Mounting Kit

Set of four brackets that may be mounted to HS401 columns, alignment consoles or in a horizontal position for use on RX lifts. The brackets will hold self-centering wheel adaptors and sensors/targets (not suitable for cordless sensors). Compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors.



### 175-325-1 Self-Centering Wheel Adaptor

Wheel adaptor for DSP600 Hexagonal or HS401 High-Definition Alignment Targets.



### 175-321-1 Self-Centering Wheel Adaptor

Wheel adaptor for DSP700 and DSP500 Alignment Sensors.

### 20-1789-1 Tire Clamp Adaptor

Clamps wheel adaptors on tires with an outside dimension of 21" (533 mm) to 40" (1016 mm). Ideal for rims without rim lips or when space between tire and rim is limited. Grips onto tire treads and protects alloy wheels from damage. Required for use with PAX System Wheels. Compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors.



### 20-1558-1 Tire Clamp Adaptor

Compatible with 175-200-1, 175-285-1, 175-304-1 and 175-305-1 Self-Centering Adaptors. Grips tread of tires 21" to 40" outside diameter.



### 20-1559-1 Upgrade Kit for Tire Clamp Adaptor Kit 20-1108-1

Replaces the current tire hooks on kit 20-1108-1, increasing maximum tire range from 28" to 40". Compatible with 175-200-1, 175-285-1, 175-304-1 and 175-305-1 Self-Centering Adaptors.



### 20-1792-1 Wheel Adaptor Extensions

Increase maximum rim range of self-centering adaptors from 24.5" (622mm) to 28" (711mm). Compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors.



**Kit 20-1792-1 contains 16 pieces, four for each adaptor.**



#### 175-214-1 BMW Quick Clamp Adaptor

Hunter Quick Clamp Adaptor approved by BMW. BMW special adaptors with large tire hooks and 100 mm pins. For use with all HawkEye HS401 and DSP sensors. **(Replacement only for older installations. For new installations, use 175-348-1.)**

#### 175-215-1 Mercedes-Benz Clamp Adaptor

Hunter Quick Clamp Adaptor approved by Mercedes-Benz. Mercedes-Benz special adaptors with large tire hooks and 100 mm pins. For use with all HawkEye HS401 and DSP sensors. **(Replacement only for older installations. For new installations, use 175-349-1.)**

#### 20-1329-1 Mercedes-Benz 100 mm Pin Kit

Use with Mercedes-Benz Clamp Adaptors 175-349-1 and 175-215-1 (one kit covers one adaptor).

#### 20-1857-1 Long Hooks for Special Adaptors

Long hooks for BMW and Mercedes-Benz Clamp Adaptors. May be used with 175-214-1 and 175-215-1 Clamp Adaptors. Standard on 175-348-1 BMW Quick Clamp Adaptors.

#### 20-1097-1 Wheel Adaptor Extensions

Increases maximum wheel diameter on self-centering adaptors by 2 1/2 inches. Compatible with 175-200-1, 175-285-1, 175-304-1 and 175-305-1 Self-Centering Adaptors.

#### 20-551-1 Spade Sleeve Kit

Includes eight Rim Stud Sleeves (106-70-2) and eight Storage Plug Assemblies (one kit covers two adaptors).

#### 20-1688-1 Additional Rim Stud Retainers

For 16" - 20" wheel adaptors. Includes eight rim stud retainers (one kit covers two adaptors).

#### 20-1578-1 Mag Wheel Short Kit


Includes four Mag Assembly Adaptors (175-63-3) (one kit covers one adaptor).

#### 20-550-1 Rubber Pad Sleeve Kit

Includes four each of the following: 175-37-3 Mag Assembly Adaptor and 175-63-3 Mag Assembly Adaptor (one kit covers two adaptors).

### 20-1898-1 Rim Stud Retainer Kit

Rim Stud Retainers for mounting adaptors. Compatible with all current production slip-on spade sleeves. Standard and compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors. Kit includes eight retainers covering two adaptors.



### 20-823-1 Rim Stud Extension Kit

Kit includes eight Rim Stud Extensions (134-81-1), covering two adaptors.



### 20-2916-1 Sensor Shaft Extension

Kit includes two sensor shaft extensions.




### 20-1522-1 Spade Sleeve Kit

Kit includes eight Rim Guard Tire Sleeves (106-118-2), covering two adaptors.



### 20-831-1 Spade Sleeve Kit

Kit includes eight Rim Stud Sleeves (106-70-2), covering two adaptors. Standard with 175-34-1 and 175-325-1 Self-Centering Adaptors.



### 175-348-1 BMW Quick Clamp Adaptor

Hunter Quick Clamp Adaptor approved by BMW. BMW special adaptors with large tire hooks and 120 mm pins. For use with all HawkEye HS401 and DSP sensors.



### 175-349-1 Mercedes-Benz Clamp Adaptor

Hunter Quick Clamp Adaptor approved by Mercedes-Benz. Mercedes-Benz special adaptors with large tire hooks and 100 mm pins. For use with all HawkEye HS401 and DSP sensors.



### 20-1867-1 BMW 120 mm Pin Kit

120 mm pins are standard on 175-348-1 Quick Clamp Adaptors. May also be used with 175-214-1 Quick Clamp Adaptors for some specialty wheels with deeper offsets. One kit covers four adaptors.



### 20-1842-1 Adaptor Upgrade Kit for HS401, HS400, DSP600 and DSP400 Sensors

For mounting to sensor columns. Includes four 175-325-1 Self-Centering Adaptors (clamping range 10" - 24.5"), four storage brackets and mounting hardware.



### 20-1841-1 Adaptor Upgrade Kit for HS401, HS400, DSP600 and DSP400 Sensors

For mounting to aligner cabinet or wall. Includes four 175-325-1 Self-Centering Adaptors (clamping range 10" - 24.5"), four storage brackets and 20-1822-1 Instrument Support Adaptor Plate Kit.



**20-1770-1 Instrument Support Kit**

Set of four brackets mount to DSP600 or DSP400 columns. The brackets will hold self-centering wheel adaptors and sensors/targets (not suitable for cordless sensors). Compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors.

**20-1762-1 Instrument Support Adaptor Plate Kit**

Set of four adaptor plates allow DSP500 hangers to be mounted to alignment cabinets that only have mounting holes for older, horseshoe-style sensor supports. Does not include DSP500 Sensor hangers.

**20-1427-1 Instrument Support Kit**

Set of four brackets mount to two-post and four-post Hunter lift rack columns. The brackets will hold self-centering wheel adaptors and sensors/targets (not suitable for cordless sensors). Compatible with 175-200-1, 175-285-1, 175-304-1 and 175-305-1 Self-Centering Adaptors.

**20-1822-1 Instrument Support Adaptor Plate Kit**

Set of four adaptor plates allow 20-1770-1 Bracket Kit to be mounted to walls or alignment cabinets. Does not include 20-1770-1 Kit.

**20-1446-1 Safety Hook Assembly**

Set of four, compatible with 39-22-1, 39-25-1, and 39-44-1 safety cables. Includes four Safety Cable Hook Assemblies (216-58-1).

**20-2193-1 Instrument Support Kit**

Set of four adaptor plates allow HS401 hangers to be mounted to walls or alignment cabinets. Does not include sensor hangers.

## Sensor Accessories

**20-1864-1 AC Conversion Kit**

Allows the Five Position Battery Charger (20-1832-1) to be used as a free-standing charger without using the aligner power supply.

**20-1488-1 Auxiliary DSP Sensor Charging Station**

Provides a second charging station where cordless sensors and HS401, DSP600 or DSP400 Sensors are being used with the same console.

**194-18-2 Cordless Sensor Battery**


For DSP200 and DSP300 Sensors.

**194-23-2 Cordless Sensor Battery**

For DSP500 Sensors, 30-418-1 Cordless Plus Remote Indicator and 30-421-1 Icon Remote Cordless Remote Indicator.

**20-1899-1 Instrument Support Kit**

For use with Mercedes-Benz and BMW Quick Clamp Adaptors and DSP500 Sensors.



**20-1900-1 Instrument Support Kit**

For use with Mercedes-Benz and BMW Quick Clamp Adaptors and HawkEye HS401 and DSP600 Sensors.



**20-2187-1 Instrument Support Plate Kit**

Set of four brackets mount to HS401 columns. The brackets will hold self-centering wheel adaptors and sensors/targets (not suitable for cordless sensors). Compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors.



**20-1832-1 Five-Position Battery Charger**

Provides a charging station for up to five DSP500 Sensor batteries.



**20-2760-1 Six-Position Battery Charger**

Provides a charging station for up to six DSP700 Sensor batteries.



## Drawer Organizer Kit



### 20-2199-1 Drawer Organizer Kit

Provides dividers and tool and part organizers for the drawers on WA445, WA444, WA245, WA244, R811P and R611P consoles. Does not include 20-1561-3 Alignment Tool Kit or 20-1575-3 Shim/Bushing/CAM Assortment.

*\* Drawer Organizer Kit requires a four-week lead time.*



## Shim/Bushing/CAM Assortment

### 20-1575-3 Shim/Bushing/CAM Assortment

This kit contains many of the more commonly used shim, bushing and CAM correction kits.

Kit includes:



- RP5-42-778** 1997-2003 F150 DEG CAM BOLT 2-1/2 (2 EA.)
- RP5-42-951** CAST/CAMB BUSHING 1/4 (1 EA.)
- RP5-42-952** CAST/CAMB BUSHING 1/2 (1 EA.)
- RP5-42-953** CAST/CAMB BUSHING 3/4 (1 EA.)
- RP5-42-954** CAST/CAMB BUSHING 1 (1 EA.)
- RP5-42-955** CAST/CAMB BUSHING 1-1/4 (1 EA.)
- RP5-42-956** CAST/CAMB BUSHING 1-1/2 (1 EA.)
- RP5-42-957** CAST/CAMB BUSHING 1-3/4 (1 EA.)
- RP5-42-958** CAST/CAMB BUSHING 2 (1 EA.)
- RP5-42-959** CAST/CAMB BUSHING 2-1/4 (1 EA.)
- RP5-42-960** CAST/CAMB BUSHING 2-1/2 (1 EA.)
- RP5-42-961** CAST/CAMB BUSHING 2-3/4 (1 EA.)
- RP5-44-5001** 4WD BUSHING (1 EA.)
- RP5-44-5002** 4WD BUSHING (1 EA.)
- RP5-44-5003** 4WD BUSHING (1 EA.)
- RP5-44-5004** 4WD BUSHING (1 EA.)
- RP5-44-5005** 4WD BUSHING (1 EA.)
- RP5-44-5006** 4WD BUSHING (1 EA.)
- RP5-44-5007** 4WD BUSHING (1 EA.)

- RP5-44-5008** 4WD BUSHING (1 EA.)
- RP5-44-5009** 4WD BUSHING (1 EA.)
- RP5-44-5010** 4WD BUSHING (1 EA.)
- RP5-44-768** SHIM EXPLORER/RANGER (1 EA.)
- RP5-44-786** SHIM 2003 EXPEDITION (1 EA.)
- RP5-44-789** SHIM 2004 F150 (1 EA.)
- RP5-44-792** SHIM 2003 DODGE 1/2-TN. TRUCKS (1 EA.)
- RP5-41-147** KIT-MAGNA CAM 12MM (1 EA.)
- RP5-41-157** HEAVY-DUTY 9/16-IN. MAGNA CAM (1 EA.)
- RP5-41-158** KIT-MAGNA CAM 14MM (1 EA.)
- RP5-41-160** KIT-MAGNA CAM 16MM (1 EA.)
- RP5-46-2100** UNIVERSAL BLUE SHIM [0 – 1-1/2] (2 EA.)
- RP5-46-2200** UNIVERSAL WHITE SHIM [0 – 1-1/2] (2 EA.)
- RP5-46-2300** UNIVERSAL GRAY SHIM [0 – 1-1/2] (2 EA.)
- RP5-46-2400** UNIVERSAL BURG. SHIM [0 – 1-1/2] (2 EA.)
- RP5-46-1121** SHIM-1/4 DEGREE GREEN (1 EA.)
- RP5-46-1122** SHIM-1/2 DEGREE GREEN (1 EA.)
- RP5-46-1123** SHIM-3/4 DEGREE GREEN (1 EA.)
- RP5-46-1124** SHIM-1 DEGREE GREEN (1 EA.)

# Alignment Tool Kit



RP5-88-343



RP5-88-1110



RP5-88-7099



RP5-88-7101



RP5-88-7102



RP5-88-7103



RP5-88-7201



RP5-88-7203



RP5-88-7491



RP5-88-8923



RP5-88-9200



RP5-88-9480

## 20-2198-3 Alignment Tool Kit

This kit contains many of the more commonly used correction tools. Kit includes:

- RP5-88-343** Full contact/dual angle rear shim tab cutting tool works equally well on both the original design or the new SYSTEM 2000 universal design
- RP5-88-1110** 3/8-in. drive bolt/nut remover
- RP5-88-7095** Tie rod adjuster for compact vehicles (not shown)
- RP5-88-7096** Tie rod adjuster for full-size vehicles (not shown)
- RP5-88-7097** Lt. truck tie rod tool for 1/2-in. drive (not shown)
- RP5-88-7098** Toe adjuster for Ford Super-Duty (not shown)
- RP5-88-7099** Tie rod adjusting tool
- RP5-88-7101** Tie rod adjuster for Chrysler "LH" models
- RP5-88-7102** Tie rod stabilizer for Chrysler "LH" models
- RP5-88-7103** Tie rod wrench for Chrysler "LH"
- RP5-88-7201** Sleeve adjusting tool
- RP5-88-7203** Sleeve outer wrench for Chrysler "LH"
- RP5-88-7301** Universal Inner Tie Rod Socket (not shown)
- RP5-88-7491** GM upper control arm knock out tool
- RP5-88-8923** GM "W" body rear toe adjuster
- RP5-88-8925** Camaro/Firebird (1994 & newer) caster/camber adjuster (not shown)
- RP5-88-8927** Camber/caster adjusting tool (not shown)
- RP5-88-9200** Taurus/Sable sedan rear toe adjuster
- RP5-88-9480** Magnetic camber change gauge

# Software Upgrades & Services

## 20-1970-1 Digital-PHOTO

Provides digital inspection and adjustment photos for new or existing WA100 or 811 consoles with WinAlign 8.X or higher. Standard with WA400 and WA200 consoles. More than 4,000 vehicle-specific digital photos improve productivity by quickly identifying adjustment and inspection points.

## 20-1971-1 Combination Digital-PHOTO/VIDEO

Provides digital inspection and adjustment photos for new or existing WA100 or 811 consoles with WinAlign 8.X or higher. Standard with WA400 and WA200 consoles. More than 400 live videos cover vehicle adjustments, inspection of components, use of special tools, installation of after-market correction kits and equipment operation for over 90% of cars and light trucks sold in the U.S.

## Console Accessories & System Upgrades

### 20-2538-1 VIN Bar Code Reader Kit

Includes a 2D Bar Code Reader and shelf.

### 20-2389-1 Bar Code Reader Storage Tray

Provides a storage tray for a bar code reader cradle and an alternative mounting for the bar code reader itself. (Bar Code Reader not included)



*Kit 20-2389-1 Bar Code Reader Storage Tray shown*

### 69-788-2 Equipment Cover

For P111/211/411/611 W workbench cabinets.

### 69-787-2 Equipment Cover

For 211/411/611/611P M mobile cabinet models.

### 69-1025-2 Equipment Cover

For P411M27, R611/811 and WA large mobile cabinets with conventional passenger-car sensors/targets or HD truck sensors. This cover will also fit S811 cabinets with HD truck sensors.

### 69-1187-2 Equipment Cover

For R811, S811 and WA small mobile cabinets without hangers for sensors or targets.



*69-1025-2 Equipment Cover shown*

Equipment covers are also available for P, R, and S mobile cabinet models.

### 213-47-2 Convex Mirror

### WA15-S Brake Pedal Depressor

### 28-75-1 Steering Wheel Holder

### 20-2222-1 Memory Upgrade Kit (512 MB)

Provides an additional 512 MB to beige 811 Plus and Standard units.

### 20-2223-1 Memory Upgrade Kit (1 GB)

Provides an additional 1 GB to beige 811 Plus and Standard units.

### 20-2211-1 Memory Upgrade Kit (1 GB)

Provides an additional 1 GB to WA100/200 and 811-B Plus and Standard units.

## Wheel Adaptor Storage Cart

### 20-1922-1 Wheel Adaptor Storage Cart

Hunter's Wheel Adaptor Storage Cart provides convenient access to alignment instruments when you need them and convenient storage when you don't. Storage Cart is compatible with hexagonal and high-definition targets and conventional sensors.



*Storage Cart shown with HawkEye HS401 High-Definition Targets and adaptors.*

## The inspection process that locates repair orders in under three minutes



**20-2785-1 CodeLink with XF2 Pod Kit\***  
Retrieves emission codes. Wirelessly transfers important vehicle information to console.



**20-2782-1 Tire Tread Depth\***  
Quick and easy tire wear check. Conditions transmitted to console automatically.



**20-2781-3 Battery Health\***  
Tests battery to OEM specs. Sends results to console wirelessly in 10 seconds.



\*Requires WinAlign® 14.1 software in Quick Check™ mode.

## Enhance your point-of-sale performance

HunterNet® (HunterNetwork.com) provides front-shop personnel with quick, convenient access to a vast collection of vehicle-specific undercar information to help explain and sell service.

- ✓ Eliminate confusing technical conversations with easy-to-understand videos, animations and images
- ✓ Help your customers make informed decisions
- ✓ Drive repair authorizations to a new level
- ✓ Supplement other counter merchandising tools
- ✓ Make more informed pricing estimates
- ✓ Simplify training of service writers



**For ordering information, contact your local Hunter Service Representative.**

*Complimentary HunterNet 3-year subscription included with HawkEye Elite and HawkEye alignment systems.*

*Complimentary HunterNet 1-year subscription included with current-year WinAlign specification updates.*

*Subscription valid for single-user only. Additional subscriptions required for multiple, simultaneous access.*

### Hunter Networking Accessories

#### **20-1760-1 Network Kit**

Connects a Hunter aligner to a customer's network.

*Available for WA100 and 811 consoles. Standard on WA400 and WA200 consoles.*

#### **20-2195-1 Wireless Network Kit**

Connects WA100 or 811 consoles to a shop's existing 802.11 a/b/g wireless network.

*Standard on WA400 and WA200 consoles.*



#### **20-2004-1 WinAlign Tuner Kit**

WinAlign Tuner software, hardware and procedures enable your shop to align modified vehicles and increase your shop's profitability.

WinAlign Tuner software is an optional feature of WinAlign® software. Additional hardware is required, see Form 5118-T for more information.

*WinAlign Tuner is standard with WA400, WA200 and 811 Plus consoles.*

#### **WinAlign Tuner™ features include:**

- Enhanced Tools and Kits
- Integrated Bump Steer Measurement System
- Electronic Vehicle Ride Height Measurement

#### **20-2011-1 Bump Steer Winch Kit**

Bump steer winch and laser scale enables the technician to collect bump steer measurements.

*Requires WinAlign software version 8.1 or higher.*




#### **20-2005-1 WinAlign Plus Kit**

Provides PHOTO/VIDEO on DVD and WinAlign Tuner for new or existing WA100 and 811 consoles with WinAlign 8.1 or higher.

*These features are standard on WA400 and WA200 consoles.*


### 20-2479-1 CM Sensor Mounting Kit for Compact Cabinets

Replaces the existing cabinet base with a wider, more stable base for the HawkEye HS401CM sensors. This kit supports WA233, WA234, WA131, WA132, and S811 cabinets.



### 20-2313-1 Alternative Mounting Base for Pronto and PA121

Floor-mounted base holds a Pronto or PA121 console and wheel adaptors with targets.



### 20-2321-1 HS401CM to Stand-Alone Mount Conversion Kit (Black)

### 20-2320-1 HS401CM to Stand-Alone Mount Conversion Kit (Red)

Two Stand-Alone Mount (SAM) conversion kits are available to convert a HS401CM with a movable camera boom from cabinet-mount to a floor stand-alone mount.

**For detailed information on models, cabinets and accessories, contact your Hunter representative.**

Hunter, ShopResults.NET, WebSpecs, HawkEye, QuickGrip, WinAlign and WinAlign Tuner are trademarks of Hunter Engineering Company.

0214KAP5M.74



**HUNTER**  
Engineering Company

[www.hunter.com](http://www.hunter.com)